


Note: The following has been agreed with the City of London Building Control on 28 October 2022: Provided the fire alarm is interlinked across the tenancies, there is no general need for the separating walls and corridor to be fire rated.

Note: All planting and planter boxes are shown for indicative purposes only and do not form part of the Customised offering

----- 30 minute fire resistance

P06	31/06/23	MAJ	KM	FUTURE RECEPTION DESK HIDDEN
P05	21/06/23	MAJ	KM	RECEPTION FURNITURE OPTION UPDATED
P04	19/06/23	MAJ	KM	RECEPTION FURNITURE OPTION
P03	TBC	MAJ	KM	DOOR NUMBERS ADJUSTED
P02	30/05/23	MAJ	KM	ISSUED FOR COSTING
P01	24/05/23	MAJ	KM	DRAFT ISSUE
REV	DATE	ISSUED BY	CHKD BY	DESCRIPTION

- NOTES**
- TREHEARNE ARCHITECTS ACCEPTS NO LIABILITY FOR THE USE OF THIS DRAWING BY PARTIES OTHER THAN THE PARTY TO WHOM IT WAS PREPARED OR FOR PURPOSES OTHER THAN THOSE FOR WHICH IT WAS PREPARED.
  - DO NOT SCALE FROM THIS DRAWING FOR PURPOSES OTHER THAN PLANNING APPLICATION.
  - ANY DIMENSIONAL INFORMATION RELATING TO EXISTING STRUCTURES ON THIS DRAWING IS BASED ON INFORMATION PROVIDED BY OTHER PARTIES LANDSEC.
  - ALL LEVELS AND DIMENSIONS TO BE CHECKED ON SITE.
  - ANY ERRORS AND DISCREPANCIES TO BE REFERRED TO THE ARCHITECT IMMEDIATELY.
  - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT CONSULTANTS' DRAWINGS AND SPECIFICATIONS.
  - THIS DRAWING IS TO BE USED SOLELY FOR THE PURPOSE INDICATED BY THE SUITABILITY CODE.
  - THIS DRAWING IS COPYRIGHT AND MUST NOT BE REPRODUCED WITHOUT THE PRIOR WRITTEN AGREEMENT OF TREHEARNE ARCHITECTS.



**TREHEARNE ARCHITECTS**  
 33 HIGH HOLBORN LONDON WC1V 6AX 020 7421 1790 www.trehearne.co.uk

PROJECT DASHWOOD LEVEL 12 - TYPICAL SOUTHERN DEMISE 69 OLD BROAD STREET, LONDON, EC2M	JOB NO. L2191
DOCUMENT NAME GENERAL ARRANGEMENT PLAN	DATE 05/23
	SCALE (@A1) 1 : 50

PROJECT STAGE  
**Stage 4**

SUITABILITY CODE & DESCRIPTION  
**S2 Suitable for Information**

DOCUMENT REFERENCE  
**DWD-TA-ZZ-12-DR-A-520101**

REVISION  
**P06**