

COLOUR CODING KEY:



Perimeter of Licensed Area

FIRE PRECAUTIONS LEGEND

- PROPOSED SMOKE DETECTOR
- PROPOSED RATE RISE HEAT DETECTOR
- EMERGENCY EXIT LUMINANCE
EMERGENCY EXIT SIGNAGE
CONTRACTOR SUPPLIED TO DESIGNERS
APPROVAL
EMERGENCY LUMINAIRE MAINTENANCE
CONTRACTOR SUPPLIED.
- CALL POINT
- FIRE EXIT
- ELECTRONIC FIRE ALARM SOUNDER
- FIRE EXTINGUISHER-CO2
- FIRE EXTINGUISHER-CO2
- FIRE BLANKET
- HALF HOUR FIRE RESISTING
SELF-CLOSING DOOR & FRAME WITH
SEALS DOORS TO HAVE FIRE RESISTANCE
SIGN NOTICES TO BOTH SIDES UNLESS
OTHERWISE INDICATED.
- ONE HOUR FIRE RESISTING DOOR &
FRAME WITH COMBINED INTUMESCENT
INSULATION AND SELF-CLOSING MECHANISM
TO THE DOOR-KEEP A COPY NOTICE TO
EXTERNAL FACE UNLESS OTHERWISE
INDICATED.
- SELF-CLOSING DEVICE FITTED TO DOOR
- DOOR FITTED WITH PUSH-BAR TO OPEN
- DOOR FITTED WITH VISION PANEL

ELECTRICAL GENERAL NOTES

ALL NEW ELECTRICAL WORK TO BE UNDERTAKEN BY AN APPROVED ELECTRICIAN OR ELECTRICAL CONTRACTOR AND COMPLY TO THE RELEVANT REQUIREMENTS OF BS7671:1992

RETAIN THE EXISTING EMERGENCY LIGHTING SYSTEM ADAPT AS NECESSARY TO SUIT THE NEW LAYOUT INCLUDING THE CELLAR AND FIRST FLOOR ACCORDING TO AND UPGRADE TO COMPLY WITH ISSUE 18:1998. ONE HOUR FIRE RESISTING TYPE.

RETAIN EXISTING EMERGENCY LIGHTING POINTS PROVIDE NEW AS REQUIRED TO BRING UP TO STANDARD. PROVIDE NEW FITTINGS AS NEEDED.

RETAIN THE EXISTING FIRE ALARM SYSTEM ADAPT AS REQUIRED TO SUIT THE NEW LAYOUT. SYSTEM TO COVER AND BE FULLY ALARME FINAL PARTS ALL TO COMPLY WITH ISSUE PART 1:2002. PROVIDE AUTOMATIC DETECTION LINKED TO THE FIRE ALARM SYSTEM.

INSPECTOR/ADVERTISER CERTIFICATES CERTIFYING THAT ALL WORKS COMPLY WITH THE RELEVANT STANDARDS ARE TO BE HANDED OVER ON COMPLETION AND FORWARDED TO THE RELEVANT AUTHORITIES.

ELECTRICAL CONTRACTORS TO BE RESPONSIBLE FOR CONTRACTING BOTH FIRE ALARM AND FIRE DETECTION CONTROL ON COMPLETION TO ENSURE THEY ARE WIPED UP WITH NEW WORKS BEFORE THE START OF WORK.



ALLOW TO EXTEND STEP BY 40MM.
ALLOW FOR 200MM HALF HOUR FIRE DOORS
FLOOR ACCUMULATION

| DESCRIPTION | EXISTING | PROPOSED |
|-----------------|----------|----------|
| BAR TOTAL | 123 SQM | 123 SQM |
| BAR COVERS | 10 | 18 |
| LOUNGE COVERS | - | 23 |
| DINING COVERS | 48 | 27 |
| TOTAL COVERS | 60 | 69 |
| EXTERNAL COVERS | 40* | 40* |

DESIGN BY DESIGN

All design work and information provided on this drawing must under NO circumstances be reproduced in any form without the prior written approval by the Designer.

NOT ALL CONTRACTORS

Notwithstanding to whom the drawing is issued, the Designer's responsibility is to the client. All contractors must be made aware of the drawing's content and verify the information. All contractors must be made aware of the drawing's content and verify the information. All contractors must be made aware of the drawing's content and verify the information.

The drawing is to be used in conjunction with the Design Specification and the Design Brief. The Designer must be satisfied in writing of all work. Any work not specified in the drawing is to be undertaken at the client's risk. The Designer is not responsible for the design of any work not specified in the drawing.

All structural work must be carried out in strict accordance with the structural calculations provided by the structural Engineer. All structural work must be checked at all stages by the structural Engineer and must be signed and stamped by the structural Engineer. The Designer is not responsible for the design of any work not specified in the drawing.

All works must be carried out in strict accordance with all local Authority Rules & Engineers Standards. The Designer is not responsible for the design of any work not specified in the drawing.

Client: **PUNCH TAVERNS**

700 THE BLACK BULL
27 MARKET PLACE
WOLINGHAM DL13 3AB

Project: **LICENSING**

Scale: 1:50 @A1
Date: SEPT 2012
Drawn by: MH

BY DESIGN

FUSION BY DESIGN, 80257 HOUSE
GOLD HILL LANE, LEES, LS13 1UJ
Email: info@fusionbydesign.co.uk www.fusionbydesign.co.uk

Revision: _____